

Table 2: Comparison of selected surgical procedures based upon cases according to OECD rules<sup>1</sup>

	England	Finland	Germany	Scotland	Sweden	Denmark
Population in million (m)	53.01	5.43	82.03	5.25	9.51	5.60
<b>Cataract</b>						
Inpatient	5.494	365	<sup>2</sup> 131.255	1.396	1.587	471
special inpatient	<sup>3</sup> 668		<sup>4</sup> 24.010			
Total inpatient	6162	365	155.265	1.396	1.587	471
Day cases	330.873	42.492	<sup>5</sup> 5.797	33.308	76.750	44.284
Outpatient			601.912			
Total AS <sup>6</sup>	330.873	42.492	607.709	33.308	76.750	44284
<b>Total</b>	<b>337.035</b>	<b>42.857</b>	<b>762.974</b>	<b>34.704</b>	<b>78.337</b>	<b>44.755</b>
% AS <sup>7</sup>	98 %	99 %	80 %	96 %	98 %	99 %
Incidence FR <sup>8</sup>	636	789	930	661	824	813
<b>Squint</b>						
Inpatient	627	91	4.765	49	181	248
Special inpatient	11		140			
Total inpatient	638	91	4.905	49	181	248
Day cases	10.471	768	45	359	1.850	1.704
Outpatient			288			
Total AS	10.471	768	333	359	1.850	1.704
<b>Total</b>	<b>11.109</b>	<b>859</b>	<b>5.238</b>	<b>408</b>	<b>2.031</b>	<b>1.952</b>
% AS	94 %	89 %	6 %	88 %	91 %	87 %
Incidence FR	21	16	6	8	21	3

<sup>1</sup> Thanks to Statistisches Bundesamt/Federal Statistical Office, Germany, for providing OECD rules

<sup>2</sup> DRG statistics of hospitals (Germany)

<sup>3</sup> emergencies (England)

<sup>4</sup> EBM statistics for „Belegkrankenhäuser“ (Germany)

<sup>5</sup> hourly cases of DRG statistics of hospitals. Day cases of KG 2 statistics (§ 115b SGB V) not available

<sup>6</sup> AS = ambulatory surgery: day cases + outpatient cases (specialized doctor's offices, Day Surgery Centers, etc.)

<sup>7</sup> Percentage of ambulatory surgery (AS) to total cases

<sup>8</sup> Incidence = frequency ratio (FR): cases per 100.000 population

	England	Finland	Germany	Scotland	Sweden	Denmark
Population in million (m)	53.01	5.43	82.03	5.25	9.51	5.60
<b>Myringotomy with tube insertion</b>						
Inpatient	2.773	112	39.951	62	634	185
Special inpatient	448		1.373			
<b>Total inpatient</b>	<b>3.221</b>	<b>112</b>	<b>41.324</b>	<b>62</b>	<b>634</b>	<b>185</b>
Day cases	29.263	10.582	871	8.019	8.693	791
Outpatient			15.681			
<b>Total AS</b>	<b>29.263</b>	<b>10.582</b>	<b>16.552</b>	<b>8.019</b>	<b>8.693</b>	<b>791</b>
<b>Total</b>	<b>32.484</b>	<b>10.694</b>	<b>57.876</b>	<b>8.081</b>	<b>9.327</b>	<b>976</b>
% AS	90 %	99 %	29 %	99 %	93 %	81 %
Incidence FR	61	197	71	154	98	17
<b>Tonsillectomy</b>						
Inpatient	28.129	2.749	118.217	1.176	4.508	3.070
Special inpatient	197		40.582			
<b>Total inpatient</b>	<b>28.326</b>	<b>2.749</b>	<b>158.799</b>	<b>1.176</b>	<b>4.508</b>	<b>3.070</b>
Day cases	17.128	6.394	123	479	3.153	1.770
Outpatient			5.691			
<b>Total AS</b>	<b>17.128</b>	<b>6.394</b>	<b>5.814</b>	<b>479</b>	<b>3.153</b>	<b>1.770</b>
<b>Total</b>	<b>45.454</b>	<b>9.143</b>	<b>164.613</b>	<b>1.655</b>	<b>7.661</b>	<b>4.840</b>
% AS	38 %	70 %	4 %	29 %	41 %	37 %
Incidence FR	86	168	201	32	81	88
<b>Rhinoplasty</b>						
Inpatient	1.018	790	149.965	75	1.460	3.070
Special inpatient	3		41.303			
<b>Total inpatient</b>	<b>1.021</b>	<b>790</b>	<b>191.268</b>	<b>75</b>	<b>1.460</b>	<b>3.070</b>
Day cases	457	1.489	503	36	2.376	1.770

Outpatient			64.120			
Total AS	457	1.489	64.623	36	2.376	1.770
<b>Total</b>	<b>1.478</b>	<b>2.279</b>	<b>255.891</b>	<b>110</b>	<b>3.836</b>	<b>4.840</b>
% AS	31 %	65 %	25 %	32 %	62 %	68 %
Incidence FR	3	42	312	2	40	46
	<b>England</b>	<b>Finland</b>	<b>Germany</b>	<b>Scotland</b>	<b>Sweden</b>	<b>Denmark</b>
Population in million (m)	53.01	5.43	82.03	5.25	9.51	5.60
<b>Bron.-Mediastinoscopy</b>						
Inpatient	12.419	1.696	8.604		4.839	1.898
Special inpatient	2.264		2			
Total inpatient	14.683	1.696	8.606		4.839	1.898
Day cases	33.501	349	18		6.635	9.133
Outpatient			1			
Total AS	33.501	349	19		6.635	9.133
<b>Total</b>	<b>48.184</b>	<b>2.045</b>	<b>8.625</b>	<b>N/A</b>	<b>11.474</b>	<b>11.031</b>
% AS	70 %	17 %	11 %		58 %	83 %
Incidence FR	91	38	0,2		121	197
<b>Surgical removal tooth</b>						
Inpatient	3.857	223	38.827	134	274	105
Special inpatient	1.167		803			
Total inpatient	5.024	223	39.630	134	274	105
Day cases	104.836	1.921	767	4.874	5.287	2.305
Outpatient			72.243			
Total AS	104.836	1.921	73.010	4.874	5.287	2.305
<b>Total</b>	<b>109.860</b>	<b>2.144</b>	<b>112.640</b>	<b>5.008</b>	<b>5.561</b>	<b>2.410</b>
% AS	95 %	90 %	65 %	97 %	95 %	95 %
Incidence FR	207	39	137	95	58	43
<b>Endoscopic female sterilisation</b>						
Inpatient	1.247	93	4.728		524	106

Special inpatient	15		14			
Total inpatient	1.262	93	4.742		524	106
Day cases	7.634	1.230	34		1.790	178
Outpatient			13			
Total AS	7.634	1.230	47		1.790	178
<b>Total</b>	<b>8.896</b>	<b>1.323</b>	<b>4.789</b>	<b>N/A</b>	<b>2.314</b>	<b>284</b>
% AS	86 %	93 %	1 %		77 %	63 %
Incidence FR	17	24	6		24	5
	<b>England</b>	<b>Finland</b>	<b>Germany</b>	<b>Scotland</b>	<b>Sweden</b>	<b>Denmark</b>
Population in million (m)	53.01	5.43	82.03	5.25	9.51	5.60
<b>Legal abortion</b>						
Inpatient	6.938	122	1.273			93
Special inpatient	17.549		1			
Total inpatient	24.487	122	1.274			93
Day cases	40.861	905	411			6078
Outpatient			4			
Total AS	40.861	905	415			6078
<b>Total</b>	<b>65.348</b>	<b>1.027</b>	<b>1.689</b>	<b>N/A</b>	<b>N/A</b>	<b>6.171</b>
% AS	63 %	88 %	25 %			98 %
Incidence FR	123	19	2			110
<b>Dilatation and curettage of uterus</b>						
Inpatient	5.711	751	53.755	563	4.396	396
Special inpatient	861		3.606			
Total inpatient	6.572	751	57.361	563	4.396	
Day cases	46.398	1.670	4.541	5.491	13.719	8.466
Outpatient			59.872			
Total AS	46.398	1.670	64.413	5.491	13.719	8.466
<b>Total</b>	<b>52.970</b>	<b>2.421</b>	<b>121.774</b>	<b>6.054</b>	<b>18.115</b>	<b>8.862</b>
% AS	88 %	69 %	53 %	91 %	75 %	95 %
Incidence FR	100	45	148	115	190	161

<b>Hysterectomy (LAVH)</b>						
Inpatient	7.200	277	28.422	3.426		210
Special inpatient	23		12.746			
<b>Total inpatient</b>	<b>7.223</b>	<b>277</b>	<b>41.168</b>	<b>3.426</b>		<b>210</b>
Day cases	37	5	3	55		30
Outpatient			2.181			
<b>Total AS</b>	<b>37</b>	<b>5</b>	<b>2.184</b>	<b>55</b>		<b>30</b>
<b>Total</b>	<b>7.260</b>	<b>282</b>	<b>43.352</b>	<b>3.481</b>	<b>N/A</b>	<b>240</b>
% AS	0,5 %	2 %	5 %	2 %		13 %
Incidence FR	14	5	53	66 <sup>9</sup>		4
	<b>England</b>	<b>Finland</b>	<b>Germany</b>	<b>Scotland</b>	<b>Sweden</b>	<b>Denmark</b>
Population in million (m)	53.01	5.43	82.03	5.25	9.51	5.60
<b>Repair cysto- rectocele</b>						
Inpatient	25.295	1.670	38.746	460	5.894	1.491
Special inpatient	46		2.202			
<b>Total inpatient</b>	<b>25.341</b>	<b>1.670</b>	<b>40.948</b>	<b>460</b>	<b>5.894</b>	<b>1.491</b>
Day cases	557	264	4	2	2.799	1.908
Outpatient			618			
<b>Total AS</b>	<b>557</b>	<b>264</b>	<b>622</b>	<b>2</b>	<b>2.799</b>	<b>1.908</b>
<b>Total</b>	<b>25.898</b>	<b>1.934</b>	<b>41.570</b>	<b>462</b>	<b>8.693</b>	<b>3.399</b>
% AS	2 %	14 %	1 %	0.4 %	32 %	56 %
Incidence FR	49	36	51	9	91	61
<b>Knee arthroscopy</b>						
Inpatient	1.498	384	282.016		831	110
Special inpatient	177		14.250			
<b>Total inpatient</b>	<b>1.675</b>	<b>384</b>	<b>296.266</b>		<b>831</b>	<b>110</b>
Day cases	7.996	1.904	449		5.061	2171
Outpatient			93.661			
<b>Total AS</b>	<b>7.996</b>	<b>1.904</b>	<b>94.110</b>		<b>5.061</b>	<b>2.171</b>
<b>Total</b>	<b>9.671</b>	<b>2.288</b>	<b>390.376</b>	<b>N/A<sup>10</sup></b>	<b>5.892</b>	<b>2.281</b>

<sup>9</sup> Ian Jackson: abdominal + vaginal hysterectomies were counted

% AS	83 %	83 %	24 %		86 %	95 %
Incidence FR	18	42	476		62	41
<b>Arthroscopic meniscus</b>						
Inpatient	16.796	699	134.242	no data <sup>11</sup>	551	314
Special inpatient	1.384		11.886			
Total inpatient	18.180	699	146.128		551	314
Day cases	85.699	11.399	294		12.814	9.191
Outpatient			152.435			
Total AS	85.699	11.399	152.929		12.814	9.191
<b>Total</b>	<b>103.879</b>	<b>12.098</b>	<b>298.857</b>		<b>13.365</b>	<b>9.505</b>
% AS	84 %	94 %	51 %		96 %	97 %
Incidence FR	196	223	364		140	173
	<b>England</b>	<b>Finland</b>	<b>Germany</b>	<b>Scotland</b>	<b>Sweden</b>	<b>Denmark</b>
Population in million (m)	53.01	5.43	82.03	5.25	9.51	5.60
<b>Removal bone implants</b>						
Inpatient	9.784	1.265	143.752	733	4.911	1436
Special inpatient	2.631		2.799			
Total inpatient	12.415	1.265	146.551	733	4.911	1436
Day cases	21.915	3.641	1.237	2.076	14.667	12.861
Outpatient			73.769			
Total AS	21.915	3.641	75.006	2.076	14.667	12.861
<b>Total</b>	<b>34.330</b>	<b>4.906</b>	<b>221.557</b>	<b>2.809</b>	<b>19.578</b>	<b>14.297</b>
% AS	64 %	74 %	34 %	74 %	75 %	90 %
Incidence FR	65	90	270	54	206	259
<b>Repair deform. on foot</b>						
Inpatient	11.529	4.773	29.257	1.061	23.092	2.431
Special inpatient	26		927			
Total inpatient	11.555	4.773	30.184	1.061	23.092	2.431

<sup>10</sup> Data not available because pooled with arthroscopic meniscus

<sup>11</sup> Data not available because pooled with knee arthroscopy

Day cases	18.372	7.447	31	1.301	29.484	9.204
Outpatient			10.651			
Total AS	18.372	7.447	10.682	1.301	29.484	9.204
<b>Total</b>	<b>29.927</b>	<b>12.220</b>	<b>40.866</b>	<b>2.362</b>	<b>52.576</b>	<b>11.635</b>
% AS	61 %	61 %	26 %	55 %	56 %	79 %
Incidence FR	56	225	50	45	553	208
<b>Carpal tunnel release</b>						
Inpatient	1.835		50.336			172
Special inpatient	191		1.434			
Total inpatient	2.026	486	51.770	111	248	172
Day cases	49.717	6.891	199	4.849	3.212	3.649
Outpatient			146.150			
Total AS	49.717	6.891	146.349	4.849	3.212	3.649
<b>Total</b>	<b>51.743</b>	<b>7.377</b>	<b>198.119</b>	<b>4.960</b>	<b>3.460</b>	<b>3.821</b>
% AS	96 %	93 %	74 %	98 %	93 %	95 %
Incidence FR	98	136	242	94	36	69
	<b>England</b>	<b>Finland</b>	<b>Germany</b>	<b>Scotland</b>	<b>Sweden</b>	<b>Denmark</b>
Population in million (m)	53.01	5.43	82.03	5.25	9.51	5.60
<b>Baker cyst</b>						
Inpatient		27	44.219		8	4
Special inpatient			1.227			
Total inpatient		27	45.446		8	4
Day cases		125	111		127	51
Outpatient			38.610			
Total AS		125	38.721		127	51
<b>Total</b>	<b>N/A</b>	<b>152</b>	<b>84.167</b>	<b>N/A</b>	<b>135</b>	<b>55</b>
% AS		82 %	46 %		94 %	93 %
Incidence FR		3	103		1	1
<b>Dupuytren's contracture</b>						

Inpatient	1.857	153	31.313	275	63	4
Special inpatient	18		430			
<b>Total inpatient</b>	<b>1.875</b>	<b>153</b>	<b>31.743</b>	<b>275</b>	<b>63</b>	<b>4</b>
Day cases	8.355	1.334	460	942	156	32
Outpatient			101.694			
<b>Total AS</b>	<b>8.355</b>	<b>1.334</b>	<b>102.154</b>	<b>942</b>	<b>156</b>	<b>32</b>
<b>Total</b>	<b>10.230</b>	<b>1.487</b>	<b>133.897</b>	<b>1.217</b>	<b>219</b>	<b>36</b>
% AS	82 %	90 %	76 %	77 %	71 %	89 %
Incidence FR	19	27	163	23	2	0,6
<b>Crusiate ligament repair</b>						
Inpatient	9.665	631	46.855	219		246
Special inpatient	79		4.888			
<b>Total inpatient</b>	<b>9.744</b>	<b>631</b>	<b>51.743</b>	<b>219</b>		<b>246</b>
Day cases	2.791	2.463	17	219		2.185
Outpatient			17.184			
<b>Total AS</b>	<b>2.791</b>	<b>2.463</b>	<b>17.201</b>	<b>219</b>		<b>2.185</b>
<b>Total</b>	<b>12.535</b>	<b>3.094</b>	<b>68.944</b>	<b>438</b>	<b>N/A</b>	<b>2.431</b>
% AS	22 %	80 %	25 %	50 %		90 %
Incidence FR	24	57	84	8		43
	<b>England</b>	<b>Finland</b>	<b>Germany</b>	<b>Scotland</b>	<b>Sweden</b>	<b>Denmark</b>
Population in million (m)	53.01	5.43	82.03	5.25	9.51	5.60
<b>Disc operations</b>						
Inpatient	5.462	5.693	46.008	473	7.969	3.933
Special inpatient	590		82			
<b>Total inpatient</b>	<b>6.052</b>	<b>5.693</b>	<b>46.090</b>	<b>473</b>	<b>7.969</b>	<b>3.933</b>
Day cases	197	312	-	15	1.173	56
Outpatient			16			
<b>Total AS</b>	<b>197</b>	<b>312</b>	<b>16</b>	<b>15</b>	<b>1.173</b>	<b>56</b>
<b>Total</b>	<b>6.249</b>	<b>6.005</b>	<b>46.106</b>	<b>488</b>	<b>9.142</b>	<b>3.989</b>



% AS	3 %	5 %	0,03 %	3 %	13 %	1 %
Incidence FR	12	111	56	9	96	71
<b>Breast lump</b>						
Inpatient	8.665	2.206	88.055	1.000	3.970	2.599
Special inpatient	64		2.758			
<b>Total inpatient</b>	<b>8.729</b>	<b>2.206</b>	<b>90.813</b>	<b>1.000</b>	<b>3.970</b>	<b>2.599</b>
Day cases	13.119	1.268	419	488	3.144	2.880
Outpatient			6.641			
<b>Total AS</b>	<b>13.119</b>	<b>1.268</b>	<b>7.060</b>	<b>488</b>	<b>3.144</b>	<b>2.880</b>
<b>Total</b>	<b>21.848</b>	<b>3.474</b>	<b>97.873</b>	<b>1.488</b>	<b>7.114</b>	<b>5.479</b>
% AS	60 %	36 %	7 %	33 %	44 %	53 %
Incidence FR	41	64	119	28	75	99
<b>Mastectomy</b>						
Inpatient	16.923	2.794	27.559	1.479	4.110	1.965
Special inpatient	46		2.369			
<b>Total inpatient</b>	<b>16.969</b>	<b>2.794</b>	<b>29.928</b>	<b>1.479</b>	<b>4.110</b>	<b>1.965</b>
Day cases	663	148	18	74	502	249
Outpatient			457			
<b>Total AS</b>	<b>663</b>	<b>148</b>	<b>475</b>	<b>74</b>	<b>502</b>	<b>249</b>
<b>Total</b>	<b>17.632</b>	<b>2.942</b>	<b>30.403</b>	<b>1.553</b>	<b>4.612</b>	<b>2.214</b>
% AS	4 %	5 %	2 %	5 %	11 %	11 %
Incidence FR	33	54	37	30	48	40
	<b>England</b>	<b>Finland</b>	<b>Germany</b>	<b>Scotland</b>	<b>Sweden</b>	<b>Denmark</b>
Population in million (m)	53.01	5.43	82.03	5.25	9.51	5.60
<b>Cholecystectomy laparo.</b>						
Inpatient	39.023	4.960	154.754	3.671	8.497	1.855
Special inpatient	5.694		N/A			
<b>Total inpatient</b>	<b>44.717</b>	<b>4.960</b>	<b>154.754</b>	<b>3.671</b>	<b>8.497</b>	<b>1.855</b>
Day cases	21.303	1.954	18	932	2.329	3.228

Outpatient			N/A			
Total AS	21.303	1.954	18	932	2.329	3.228
<b>Total</b>	<b>66.020</b>	<b>6.914</b>	<b>N/A</b>	<b>4.603</b>	<b>10.826</b>	<b>5.083</b>
% AS	32 %	28 %		20 %	22 %	63 %
Incidence FR	125	127		88	114	92
<b>Laparoscopic antireflux</b>						
Inpatient	3.079	576	787	211	246	197
Special inpatient	53		0			
Total inpatient	3.132	576	787	211	246	197
Day cases	118	44	2	10	17	38
Outpatient			3			
Total AS	118	44	5	10	17	38
<b>Total</b>	<b>3.250</b>	<b>620</b>	<b>792</b>	<b>221</b>	<b>263</b>	<b>235</b>
% AS	4 %	7 %	0,6 %	5 %	6 %	16 %
Incidence FR	6	11	1	4	3	4
<b>Haaemorrhoidectomy</b>						
Inpatient	2.278	692	48.788	281	713	327
Special inpatient	229		2.859			
Total inpatient	2.507	692	51.647	281	713	327
Day cases	4.933	899	212	336	12.926	3.570
Outpatient			24.091			
Total AS	4.933	899	24.303	336	12.926	3.570
<b>Total</b>	<b>7.440</b>	<b>1.591</b>	<b>75.950</b>	<b>617</b>	<b>13.639</b>	<b>3.897</b>
% AS	66 %	57 %	32 %	54 %	95 %	92 %
Incidence FR	14	29	93	12	143	70
	<b>England</b>	<b>Finland</b>	<b>Germany</b>	<b>Scotland</b>	<b>Sweden</b>	<b>Denmark</b>
Population in million (m)	53.01	5.43	82.03	5.25	9.51	5.60
<b>Hernia</b>						
Inpatient	22.144	4.118	175.517	2.268	4.203	327
Special inpatient	3.299		7.980			

Total inpatient	25.443	4.118	183.497	2.268	4.203	327
Day cases	48.720	7.040	620	3.795	12.152	3.570
Outpatient			29.007			
Total AS	48.720	7.040	29.627	3.795	12.152	3.570
<b>Total</b>	<b>74.163</b>	<b>11.158</b>	<b>213.124</b>	<b>6.063</b>	<b>16.355</b>	<b>3.897</b>
% AS	66 %	63 %	14 %	63 %	74 %	82 %
Incidence FR	140	205	260	115	172	157
<b>Circumcision</b>						
Inpatient	3.038	277	17.968	51	483	145
Special inpatient	572		1.015			
Total inpatient	3.610	277	18.983	51	483	145
Day cases	26.093	1.652	465	1.426	5.743	2.944
Outpatient			70.314			
Total AS	26.093	1.652	70.779	1.426	5.743	2.944
<b>Total</b>	<b>29.703</b>	<b>1.929</b>	<b>89.762</b>	<b>1.477</b>	<b>6.226</b>	<b>3.089</b>
% AS	88 %	86 %	79 %	97 %	92 %	95 %
Incidence FR	56	36	109	28	65	55
<b>Orchiectomy + -pexy</b>						
Inpatient	2.459	495	23.280	82	1.297	389
Special inpatient	1.102		1.317			
Total inpatient	3.561	495	24.597	82	1.297	389
Day cases	6.627	657	291	426	1.624	1.470
Outpatient			5.342			
Total AS	6.627	657	5.633	426	1.624	1.470
<b>Total</b>	<b>10.188</b>	<b>1.152</b>	<b>30.230</b>	<b>508</b>	<b>2.921</b>	<b>1.859</b>
% AS	65 %	57 %	19 %	84 %	56 %	79 %
Incidence FR	19	21	37	10	31	33
	<b>England</b>	<b>Finland</b>	<b>Germany</b>	<b>Scotland</b>	<b>Sweden</b>	<b>Denmark</b>
Population in million (m)	53.01	5.43	82.03	5.25	9.51	5.60

<b>Male sterilisation</b>						
Inpatient	149	10	1046		9	1
Special inpatient	7		N/A			
<b>Total inpatient</b>	<b>156</b>	<b>10</b>			<b>9</b>	<b>1</b>
Day cases	9.612	1.128	N/A		1.782	759
Outpatient			N/A			
<b>Total AS</b>	<b>9.612</b>	<b>1.128</b>			<b>1.782</b>	<b>759</b>
<b>Total</b>	<b>9.768</b>	<b>1.138</b>	<b>N/A</b>	<b>N/A</b>	<b>1.791</b>	<b>760</b>
% AS	98 %	99 %			99 %	100 %
Incidence FR	18	21			19	14
<b>TURP</b>						
Inpatient	22.386	2.701	73.102	1.485	5.859	1.626
Special inpatient	414		8.773			
<b>Total inpatient</b>	<b>22.800</b>	<b>2.701</b>	<b>81.875</b>	<b>1.485</b>	<b>5.859</b>	<b>1.626</b>
Day cases	618	45	10	49	96	150
Outpatient			1.662			
<b>Total AS</b>	<b>618</b>	<b>45</b>	<b>1.672</b>	<b>49</b>	<b>96</b>	<b>150</b>
<b>Total</b>	<b>23.418</b>	<b>2.746</b>	<b>83.547</b>	<b>1.534</b>	<b>5.955</b>	<b>1.776</b>
% AS	3 %	2 %	2 %	3 %	2 %	8 %
Incidence FR	44	51	102	29	63	32
<b>Coloscopy w/wo biopsy</b>						
Inpatient	16.542	1.549	345.416		8.941	3.150
Special inpatient	1.916		2			
<b>Total inpatient</b>	<b>18.458</b>	<b>1.549</b>	<b>345.418</b>		<b>8.941</b>	<b>3.150</b>
Day cases	297.153	356	913		54.577	85.115
Outpatient			0			
<b>Total AS</b>	<b>297.153</b>	<b>356</b>	<b>913</b>		<b>54.577</b>	<b>85.115</b>
<b>Total</b>	<b>315.611</b>	<b>1.905</b>	<b>346.331</b>	<b>N/A</b>	<b>63.518</b>	<b>88.265</b>
% AS	94 %	19 %	0,3 %		86 %	96 %
Incidence FR	595	35	422		668	1604

	England	Finland	Germany	Scotland	Sweden	Denmark
Population in million (m)	53.01	5.43	82.03	5.25	9.51	5.60
<b>Removal of colon polyps</b>						
Inpatient	5.357	36	119.930		902	144
Special inpatient	462		2			
<b>Total inpatient</b>	<b>5.819</b>	<b>36</b>	<b>119.932</b>		<b>902</b>	<b>144</b>
Day cases	105.168	5	297		7.377	6.119
Outpatient			2			
<b>Total AS</b>	<b>105.168</b>	<b>5</b>	<b>299</b>		<b>7.377</b>	<b>6.119</b>
<b>Total</b>	<b>110.987</b>	<b>45</b>	<b>120.231</b>	<b>N/A</b>	<b>8.279</b>	<b>6.263</b>
% AS	95 %	12 %	0,2 %		89 %	98 %
Incidence FR	209	1	147		87	113
<b>Varicose veins</b>						
Inpatient	2.708	662	84.960	583	563	139
Special inpatient	66		8.338			
<b>Total inpatient</b>	<b>2.774</b>	<b>662</b>	<b>93.298</b>	<b>583</b>	<b>563</b>	<b>139</b>
Day cases	10.393	3.641	495	1.284	8.366	10.041
Outpatient			101.383			
<b>Total AS</b>	<b>10.393</b>	<b>3.641</b>	<b>101.878</b>	<b>1.284</b>	<b>8.366</b>	<b>10.041</b>
<b>Total</b>	<b>13.167</b>	<b>4.303</b>	<b>195.176</b>	<b>1.867</b>	<b>8.929</b>	<b>10.180</b>
% AS	79 %	85 %	52 %	69 %	94 %	99 %
Incidence FR	25	79	238	36	94	185
<b>Breast reduction</b>						
Inpatient	2.664	1.117	7.752		1.068	570
Special inpatient	1		396			
<b>Total inpatient</b>	<b>2.665</b>	<b>1.117</b>	<b>8.148</b>		<b>1.068</b>	<b>570</b>
Day cases	125	186	0		438	33
Outpatient			142			
<b>Total AS</b>	<b>125</b>	<b>186</b>	<b>142</b>		<b>438</b>	<b>33</b>
<b>Total</b>	<b>2.790</b>	<b>1.303</b>	<b>8.290</b>	<b>N/A</b>	<b>1.506</b>	<b>603</b>

% AS	4 %	14 %	2 %		29 %	5 %
Incidence FR	5	24	10		16	11
	<b>England</b>	<b>Finland</b>	<b>Germany</b>	<b>Scotland</b>	<b>Sweden</b>	<b>Denmark</b>
Population in million (m)	53.01	5.43	82.03	5.25	9.51	5.60
<b>Abdominoplasty</b>						
Inpatient	745	184	11.905		792	649
Special inpatient	4		46			
<b>Total inpatient</b>	<b>749</b>	<b>184</b>	<b>11.951</b>		<b>792</b>	<b>649</b>
Day cases	8	28	18		82	14
Outpatient			29			
<b>Total AS</b>	<b>8</b>	<b>28</b>	<b>47</b>		<b>82</b>	<b>14</b>
<b>Total</b>	<b>757</b>	<b>212</b>	<b>11.998</b>	<b>N/A</b>	<b>874</b>	<b>663</b>
% AS	1 %	13 %	0,4 %		9 %	2 %
Incidence FR	1	4	15		9	12
<b>Pilonoidal cyst</b>						
Inpatient	2.320	665	26.955	267	835	793
Special inpatient	6.139		1.559			
<b>Total inpatient</b>	<b>8.459</b>	<b>665</b>	<b>28.514</b>	<b>267</b>	<b>835</b>	<b>793</b>
Day cases	4.726	1.571	304	469	20.310	9.650
Outpatient			10.957			
<b>Total AS</b>	<b>4.726</b>	<b>1.571</b>	<b>11.261</b>	<b>469</b>	<b>20.310</b>	<b>9.650</b>
<b>Total</b>	<b>13.185</b>	<b>2.236</b>	<b>39.775</b>	<b>736</b>	<b>21.145</b>	<b>10.443</b>
% AS	36 % <sup>12</sup>	70 %	28 %	64 %	96 %	92 %
Incidence FR	25	41	48	14	222	186

<sup>12</sup> English survey said 67 %